# SAFETY DATA SHEET

### Pro Image Semi-gloss Topcoat



Section 1. Identification		
GHS product identifier	: Pro Image Semi-gloss Topcoat	
Code	: Not available.	
Other means of identification	: Not available.	
Product type	: Liquid.	
Relevant identified uses o	f the substance or mixture and uses advised against	
Identified uses	: Not available.	
Manufacturer	: General Finishes 2462 Corporate Circle East Troy, WI 53120 U.S.A. Phone no.: 262-642-4545 Toll free no.: 1-800-783-6050 Fax no.: 262-642-4707 Web: GeneralFinishes.com	
Emergency telephone number (with hours of operation)	: CHEMTREC, U.S. : 1-800-424-9300 International: +1-703-527-3887 (24/7)	

# Section 2. Hazards identification

OSHA/HCS status       : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.         Classification of the substance or mixture       : Not classified.         GHS label elements       : Not signal word.         Hazard statements       : No known significant effects or critical hazards.         Precautionary statements       : Not applicable.         Storage       : Not applicable.         Storage       : Not applicable.         Other hazards which do not result in classification/       : None known.		
substance or mixture         GHS label elements         Signal word       : No signal word.         Hazard statements       : No known significant effects or critical hazards.         Precautionary statements       : Not applicable.         Prevention       : Not applicable.         Response       : Not applicable.         Storage       : Not applicable.         Disposal       : Not applicable.         Other hazards which do not result in classification/       : None known.	OSHA/HCS status	Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available
GHS label elementsSignal word: No signal word.Hazard statements: No known significant effects or critical hazards.Precautionary statements:Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.Other hazards which do not: None known.	Classification of the	: Not classified.
Signal word: No signal word.Hazard statements: No known significant effects or critical hazards.Precautionary statements: Not applicable.Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.Other hazards which do not result in classification/: None known.	substance or mixture	
Hazard statements: No known significant effects or critical hazards.Precautionary statements: Not applicable.Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.Other hazards which do not result in classification/: None known.	GHS label elements	
Precautionary statements         Prevention       : Not applicable.         Response       : Not applicable.         Storage       : Not applicable.         Disposal       : Not applicable.         Other hazards which do not result in classification/       : None known.	Signal word	: No signal word.
Prevention       : Not applicable.         Response       : Not applicable.         Storage       : Not applicable.         Disposal       : Not applicable.         Other hazards which do not result in classification/       : None known.	Hazard statements	: No known significant effects or critical hazards.
Response       : Not applicable.         Storage       : Not applicable.         Disposal       : Not applicable.         Other hazards which do not result in classification/       : None known.	Precautionary statements	
Storage       : Not applicable.         Disposal       : Not applicable.         Other hazards which do not result in classification/       : None known.	Prevention	: Not applicable.
Disposal       : Not applicable.         Other hazards which do not result in classification/       : None known.	Response	: Not applicable.
Other hazards which do not : None known. result in classification/	Storage	: Not applicable.
result in classification/	Disposal	: Not applicable.
	result in classification/	: None known.





# Section 3. Composition/information on ingredients

Substance/mixture
Other means of

identification

: Mixture

: Not available.

#### **CAS number/other identifiers**

CAS number	1	Not applicable.
Product code	1	Not available.

Ingredient name	%	CAS number
	≥3 - <5 ≥1 - ≤3	872-50-4 34590-94-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary first aid measures				
Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs.</li> </ul>			
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.			
Skin contact	: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.			
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.			

Most important symptoms/e	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/sym</u>	<u>otoms</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>In case of inhalation of decomposition products in a fire, symptoms may be delayed.</li> <li>The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.





### Section 4. First aid measures

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> .
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire-fighters	: No special measures are required.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

reisonal precautions, protec	UV	<u>e equipment and emergency procedures</u>
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nta	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.





Pro Image Semi-gloss Topcoat

# Section 7. Handling and storage

Precautions for safe handling	L	
Protective measures	1	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### **Control parameters**

#### **United States**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
N-methyl-2-pyrrolidone	AIHA WEEL (United States, 10/2011). Absorbed through skin.
	TWA: 10 ppm 8 hours.
(2-Methoxymethylethoxy)propanol	ACGIH TLV (United States, 3/2015). Absorbed through skin.
	TWA: 100 ppm 8 hours.
	TWA: 606 mg/m <sup>3</sup> 8 hours.
	STEL: 150 ppm 15 minutes.
	STEL: 909 mg/m <sup>3</sup> 15 minutes.
	NIOSH REL (United States, 10/2013). Absorbed through skin.
	TWA: 100 ppm 10 hours.
	TWA: 600 mg/m <sup>3</sup> 10 hours.
	STEL: 150 ppm 15 minutes.
	STEL: 900 ma/m <sup>3</sup> 15 minutes.
	OSHA PEL (United States, 2/2013). Absorbed through skin.
	TWA: 100 ppm 8 hours.
	TWA: 600 mg/m <sup>3</sup> 8 hours.

### <u>Canada</u>

#### **Occupational exposure limits**

Ingredient name	Exposure limits
N-methyl-2-pyrrolidone	CA Ontario Provincial (Canada, 7/2015).
	TWA: 400 mg/m <sup>3</sup> 8 hours.
(2-Methoxymethylethoxy)propanol	CA Alberta Provincial (Canada, 4/2009). Absorbed through skin.
	8 hrs OEL: 100 ppm 8 hours.
	15 min OEL: 909 mg/m <sup>3</sup> 15 minutes.
	8 hrs OEL: 606 mg/m <sup>3</sup> 8 hours.
	15 min OEL: 150 ppm 15 minutes.
	CA British Columbia Provincial (Canada, 5/2015). Absorbed through
	skin.
	TWA: 100 ppm 8 hours.
	STEL: 150 ppm 15 minutes.
	CA Quebec Provincial (Canada, 1/2014). Absorbed through skin.
	TWAEV: 100 ppm 8 hours.
	TWAEV: 606 mg/m <sup>3</sup> 8 hours.
	STEV: 150 ppm 15 minutes.
	STEV: 909 mg/m <sup>3</sup> 15 minutes.
	CA Ontario Provincial (Canada, 7/2015). Absorbed through skin.
	STEL: 909 mg/m <sup>3</sup> 15 minutes.
	STEL: 150 ppm 15 minutes.
	TWA: 606 mg/m <sup>3</sup> 8 hours.
	TWA: 100 ppm 8 hours.



Pro Image Semi-gloss Topcoat

# Section 8. Exposure controls/personal protection

|--|

Appropriate engineering controls	Good general ventilation should be sufficient to control worker expo contaminants.	sure to airborne
Environmental exposure controls	Emissions from ventilation or work process equipment should be ch they comply with the requirements of environmental protection legis	
Individual protection meas		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical eating, smoking and using the lavatory and at the end of the workin Appropriate techniques should be used to remove potentially conta Wash contaminated clothing before reusing. Ensure that eyewash showers are close to the workstation location.	g period. minated clothing.
Eye/face protection	Safety eyewear complying with an approved standard should be us assessment indicates this is necessary to avoid exposure to liquid s gases or dusts. If contact is possible, the following protection shou the assessment indicates a higher degree of protection: safety glas	splashes, mists, ld be worn, unless
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved worn at all times when handling chemical products if a risk assessn necessary.	
Body protection	Personal protective equipment for the body should be selected bas performed and the risks involved and should be approved by a spece handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures s based on the task being performed and the risks involved and shou specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator appropriate standard or certification. Respirators must be used accrespiratory protection program to ensure proper fitting, training, and aspects of use.	cording to a

# Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	:	Liquid. [Fluid.]
Color	:	Milky.
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	8 to 9
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	Not available.
Vapor pressure	:	Not available.



Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



# Section 9. Physical and chemical properties

Vapor density	: Not available.
Relative density	: 1.05
Solubility	: Soluble in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
VOC content	: 231.633 g/L

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Do not freeze.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
N-methyl-2-pyrrolidone	LD50 Dermal LD50 Oral		8 g/kg 3914 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
N-methyl-2-pyrrolidone (2-Methoxymethylethoxy)propanol	Eyes - Moderate irritant Eyes - Mild irritant Skin - Mild irritant	Rabbit Rabbit Rabbit	-	100 mg 24 hours 500 mg 500 mg	-

#### Sensitization

There is no data available.

#### Mutagenicity

There is no data available.

#### **Carcinogenicity**

There is no data available.

#### Reproductive toxicity

There is no data available.

#### **Teratogenicity**

There is no data available.





# Section 11. Toxicological information

### Specific target organ toxicity (single exposure)

Category	Route of exposure	Target organs
Category 3	Not applicable.	Respiratory tract irritation
	1	I
-		exposure

#### **Aspiration hazard**

There is no data available.

Information on the likely routes of exposure	:	Dermal contact. Eye contact. Ingestion.
Potential acute health effects		
Eye contact	÷	No known significant effects or critical haza

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Long term exposure	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health eff	ects
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

### Numerical measures of toxicity

### Acute toxicity estimates

ſ	Route	ATE value
	Oral	94595.9 mg/kg





# Section 12. Ecological information

#### **Toxicity**

There is no data available.

### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
N-methyl-2-pyrrolidone	-0.46	-	low
(2-Methoxymethylethoxy)propanol	0.004		low

#### Mobility in soil

Soil/water partition coefficient (Koc)	1	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT	TDG	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-		-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-





# Section 14. Transport information

**AERG** : Not applicable.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) PAIR: (2-Methoxymethylethoxy)propanol; Octamethylcyclotetrasiloxane
	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): All components are listed or exempted.
	Clean Water Act (CWA) 307: Toluene
	<b>Clean Water Act (CWA) 311</b> : Sodium hydroxide; Phosphoric acid; Styrene; Propylene oxide; Toluene; Maleic acid; Ammonia; Cyclohexane
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
SADA 302/304	

#### SARA 302/304

#### **Composition/information on ingredients**

			SARA 302 TPQ SARA 304 RQ		RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Ethylene oxide Propylene oxide	<0.1 <0.1	Yes. Yes.	1000 10000	- 1444.3	10 100	- 14.4

#### SARA 304 RQ

: 84546576.7 lbs / 38384145.8 kg [9657160.5 gal / 36556329.4 L]

#### SARA 311/312

```
Classification : Not applicable.
```

### Composition/information on ingredients

Name	%	hazard	Sudden release of pressure	Reactive	(acute) health	Delayed (chronic) health hazard
N-methyl-2-pyrrolidone	≥3 - <5	Yes.	-	No.	Yes.	Yes.
(2-Methoxymethylethoxy)propanol	≥1 - ≤3	Yes.		No.	Yes.	No.

#### **SARA 313**



# Section 15. Regulatory information

	Product name	CAS number	%
Form R - Reporting requirements	N-methyl-2-pyrrolidone	872-50-4	≥3 - <5
Supplier notification	N-methyl-2-pyrrolidone	872-50-4	≥3 - <5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

Massachusetts	: The following components are listed: (2-Methoxymethylethoxy)propanol; N-methyl- 2-pyrrolidone
New York	: None of the components are listed.
New Jersey	<ul> <li>The following components are listed: (2-Methoxymethylethoxy)propanol; N-methyl- 2-pyrrolidone</li> </ul>
Pennsylvania	<ul> <li>The following components are listed: (2-Methoxymethylethoxy)propanol; N-methyl- 2-pyrrolidone</li> </ul>

#### California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
N-methyl-2-pyrrolidone	No.	Yes.	No.	3200 µg/day (inhalation)
Ethylene oxide	Yes.	Yes.	Yes.	Yes.
1,4-Dioxane	Yes.	No.	Yes.	No.
Propylene oxide	Yes.	No.	No.	No.
Toluene	No.	Yes.	No.	7000 µg/day (ingestion)

#### **Canada**

### **Canadian lists**

- Canadian NPRI **CEPA Toxic substances** : None of the components are listed. **Canada inventory** 
  - : The following components are listed: N-methyl-2-pyrrolidone
- : All components are listed or exempted.

### Section 16. Other information

Procedure used to derive the classification	<b>Procedure</b>	used to	derive	the	classification
---	------------------	---------	--------	-----	----------------

Classification	Justification
Not classified.	
<u>History</u>	·
Date of issue mm/dd/yyyy : 08/15/2016	

Version

: 1

**Prepared by** 

: KMK Regulatory Services Inc.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

